

PHYSICS - SECTION A

- 1** For Young's double-slit experiment, two statements are given below:

Statement I:	If screen is moved away from the plane of slits, angular separation of the fringes remains constant.
Statement II:	If the monochromatic source is replaced by another monochromatic source of larger wavelength, the angular separation of fringes decreases.

1.	Statement I is False but Statement II is True.
2.	Both Statement I and Statement II are True.
3.	Both Statement I and Statement II are False.
4.	Statement I is True but Statement II is False.

- 2** The ratio of frequencies of fundamental harmonic produced by an open pipe to that of closed pipe having the same length is:

1.	3 : 1	2.	1 : 2
3.	2 : 1	4.	1 : 3

- 3** The ratio of the radius of gyration of a solid sphere of mass M and radius R about its own axis to the radius of gyration of the thin hollow sphere of the same mass and radius about its axis is:

1. 5 : 2
2. 3 : 5
3. 5 : 3
4. 2 : 5

- 4** An AC source is connected to a capacitor C . Due to decrease in its operating frequency:

1.	capacitive reactance remains constant
2.	capacitive reactance decreases.
3.	displacement current increases.
4.	displacement current decreases.

- 5** In hydrogen spectrum, the shortest wavelength in the Balmer series is λ . The shortest wavelength in the Brackett series is:

1. 16λ
2. 2λ
3. 4λ
4. 9λ

- 6** Resistance of a carbon resistor determined from colour codes is $(22000 \pm 5\%) \Omega$. The colour of third band must be:

1. Yellow
2. Red
3. Green
4. Orange

- 7** A vehicle travels half the distance with speed v and the remaining distance with speed $2v$. Its average speed is:

1.	$\frac{3v}{4}$	2.	$\frac{v}{3}$
3.	$\frac{2v}{3}$	4.	$\frac{4v}{3}$

- 8** The potential energy of a long spring when stretched by 2 cm is U . If the spring is stretched by 8 cm, the potential energy stored in it will be:

1.	$16U$	2.	$2U$
3.	$4U$	4.	$8U$

- 9** A bullet is fired from a gun at the speed of 280 ms^{-1} in the direction 30° above the horizontal. The maximum height attained by the bullet is: ($g = 9.8 \text{ m/s}^2$, $\sin 30^\circ = 0.5$)

1.	3000 m	2.	2800 m
3.	2000 m	4.	1000 m

- 10** The half-life of a radioactive substance is 20 minutes. In how much time, the activity of substance drops to $(\frac{1}{16})^{\text{th}}$ of its initial value?

1. 80 minutes
2. 20 minutes
3. 40 minutes
4. 60 minutes

- 11** The net magnetic flux through any closed surface is:

1. negative
2. zero
3. positive
4. infinity

- 12** A metal wire has mass $(0.4 \pm 0.002) \text{ g}$, radius $(0.3 \pm 0.001) \text{ mm}$ and length $(5 \pm 0.02) \text{ cm}$. The maximum possible percentage error in the measurement of density will nearly be:

1. 1.4%
2. 1.2%
3. 1.3%
4. 1.6%

13 The angular acceleration of a body, moving along the circumference of a circle, is:

1.	along the axis of rotation
2.	along the radius, away from centre
3.	along the radius towards the centre
4.	along the tangent to its position

14 The magnetic energy stored in an inductor of inductance $4 \mu\text{H}$ carrying a current of 2 A is:

1. $8 \mu\text{J}$
2. $4 \mu\text{J}$
3. 4 mJ
4. 8 mJ

15 A full wave rectifier circuit consists of two p-n junction diodes, a centre-tapped transformer, capacitor and a load resistance. Which of these components remove the ac ripple from the rectified output?

1. load resistance
2. a centre-tapped transformer
3. p-n junction diodes
4. capacitor

16 A football player is moving southward and suddenly turns eastward with the same speed to avoid an opponent. The force that acts on the player while turning is:

1. along south-west
2. along eastward
3. along northward
4. along north-east

17 The work functions of Caesium (Cs), Potassium (K), and Sodium (Na) are 2.14 eV , 2.30 eV and 2.75 eV respectively. If incident electromagnetic radiation has an incident energy of 2.20 eV , which of these photosensitive surfaces may emit photoelectrons?

1.	Na only	2.	Cs only
3.	both Na and K	4.	K only

18 If $\oint_s \vec{E} \cdot d\vec{S} = 0$ over a surface, then:

1.	the electric field inside the surface is necessarily uniform.
2.	the number of flux lines entering the surface must be equal to the number of flux lines leaving it.
3.	the magnitude of electric field on the surface is constant.
4.	all the charges must necessarily be inside the surface.

19 Given below are two statements:

Statement I:	Photovoltaic devices can convert optical radiation into electricity.
Statement II:	The Zener diode is designed to operate under reverse bias in the breakdown.

1.	Statement I is incorrect but Statement II is correct.
2.	Both Statement I and Statement II are correct.
3.	Both Statement I and Statement II are incorrect.
4.	Statement I is correct but Statement II is incorrect.


20 In a plane electromagnetic wave travelling in free space, the electric field component oscillates sinusoidally at a frequency of $2.0 \times 10^{10} \text{ Hz}$ and amplitude 48 Vm^{-1} . Then the amplitude of the oscillating magnetic field is: (Speed of light in free space $3 \times 10^8 \text{ ms}^{-1}$)

1. $1.6 \times 10^{-6} \text{ T}$
2. $1.6 \times 10^{-9} \text{ T}$
3. $1.6 \times 10^{-8} \text{ T}$
4. $1.6 \times 10^{-7} \text{ T}$

21 The temperature of a gas is -50°C . To what temperature the gas should be heated so that the RMS speed is increased by 3 times?

1.	223 K	2.	669°C
3.	3295°C	4.	3097 K

22 The magnitude and direction of the current in the following circuit is:



1.	1.5 A from B to A through E
2.	0.2 A from B to A through E
3.	0.5 A from A to B through E
4.	$\frac{5}{9}$ A from A to B through E


23 An electric dipole is placed at an angle of 30° with an electric field of intensity $2 \times 10^5 \text{ NC}^{-1}$. It experiences a torque equal to 4 N-m . If the dipole length is 2 cm , calculate the magnitude of the charge on the dipole.

1.	2 mC	2.	8 mC
3.	6 mC	4.	4 mC

24 Let a wire be suspended from the ceiling (rigid support) and stretched by a weight W attached at its free end. The longitudinal stress at any point of the cross-sectional area A of the wire is:

1.	zero	2.	$\frac{2W}{A}$
3.	$\frac{W}{A}$	4.	$\frac{W}{2A}$

25 The equivalent capacitance of the system shown in the following circuit is:



1.	$9 \mu\text{F}$	2.	$2 \mu\text{F}$
3.	$3 \mu\text{F}$	4.	$6 \mu\text{F}$

26 The venturi-meter works on:

1.	The principle of perpendicular axes
2.	Huygen's principle
3.	Bernoulli's principle
4.	The principle of parallel axes

27 A 12 V , 60 W lamp is connected to the secondary of a step-down transformer, whose primary is connected to AC mains of 220 V . Assuming the transformer to be ideal, what is the current in the primary winding?

1. 0.37 A
2. 0.27 A
3. 2.7 A
4. 3.7 A

28 In a series LCR circuit, the inductance L is 10 mH , capacitance C is $1 \mu\text{F}$ and resistance R is 100Ω . The frequency at which resonance occurs is:

1. 1.59 kHz
2. 15.9 rad/s
3. 15.9 kHz
4. 1.59 rad/s

29 Two bodies of mass m and $9m$ are placed at a distance R . The gravitational potential on the line joining the bodies where the gravitational field equals zero, will be: (G = gravitational constant)

1. $-\frac{20 Gm}{R}$
2. $-\frac{8 Gm}{R}$
3. $-\frac{12 Gm}{R}$
4. $-\frac{16 Gm}{R}$

30 Light travels a distance x in time t_1 in air and $10x$ in time t_2 in another denser medium. What is the critical angle for this medium?

1.	$\sin^{-1}\left(\frac{10t_1}{t_2}\right)$	2.	$\sin^{-1}\left(\frac{t_2}{t_1}\right)$
3.	$\sin^{-1}\left(\frac{10t_2}{t_1}\right)$	4.	$\sin^{-1}\left(\frac{t_1}{10t_2}\right)$


31 The amount of energy required to form a soap bubble of radius 2 cm from a soap solution is nearly: (the surface tension of soap solution 0.03 Nm^{-1})

1. $50.1 \times 10^{-4} \text{ J}$
2. $30.16 \times 10^{-4} \text{ J}$
3. $5.06 \times 10^{-4} \text{ J}$
4. $3.01 \times 10^{-4} \text{ J}$

32 The minimum wavelength of X-rays produced by an electron accelerated through a potential difference of V volts is proportional to:

1. V^2
2. $\sqrt{V}$
3. $1/V$
4. $\frac{1}{\sqrt{V}}$

- 33** If the galvanometer G does not show any deflection in the circuit shown, the value of R is given by;



1.	400 Ω	2.	200 Ω
3.	50 Ω	4.	100 Ω

- 34** A Carnot engine has an efficiency of 50% when its source is at a temperature 327°C . The temperature of the sink is:

1. 200°C
2. 27°C
3. 15°C
4. 100°C

- 35** The errors in the measurement which arise due to unpredictable fluctuations in temperature and voltage supply are:


1.	Random errors	2.	Instrumental errors
3.	Personal errors	4.	Least count errors

PHYSICS - SECTION B

- 36** A wire carrying a current I along the positive x -axis has length L . It is kept in a magnetic field $\vec{B} = (2\hat{i} + 3\hat{j} - 4\hat{k})$ T. The magnitude of the magnetic force acting on the wire is:

1. $\sqrt{3}IL$
2. $3IL$
3. $\sqrt{5}IL$
4. $5IL$

- 37** A very long conducting wire is bent in a semi-circular shape from A to B as shown in the figure. The magnetic field at the point P for steady current configuration is given by:




1.	$\frac{\mu_0 i}{4R} \left[1 - \frac{2}{\pi} \right]$ pointed into the page
2.	$\frac{\mu_0 i}{4R}$ pointed into the page
3.	$\frac{\mu_0 i}{4R}$ pointed away from the page
4.	$\frac{\mu_0 i}{4R} \left[1 - \frac{2}{\pi} \right]$ pointed away from the page

- 38** A bullet from a gun is fired on a rectangular wooden block with velocity u . When bullet travels 24 cm through the block along its length horizontally, velocity of bullet becomes $u/3$. Then it further penetrates into the block in the same direction before coming to rest exactly at the other end of the block. The total length of the block is:

1.	30 cm	2.	27 cm
3.	24 cm	4.	28 cm

- 39** An electric dipole is placed as shown in the figure.




The electric potential (in 10^2 V) at the point P due to the dipole is:

(ϵ_0 = permittivity of free space and $\frac{1}{4\pi\epsilon_0} = k$)

1.	$\left(\frac{8}{3}\right) qk$	2.	$\left(\frac{3}{8}\right) qk$
3.	$\left(\frac{5}{8}\right) qk$	4.	$\left(\frac{8}{5}\right) qk$

- 40** In the figure shown here, what is the equivalent focal length of the combination of lenses?
(Assume that all layers are thin)



1.	-50 cm	2.	40 cm
3.	-40 cm	4.	-100 cm

- 41** A satellite is orbiting just above the surface of the earth with period T . If d is the density of the earth and G is the universal constant of gravitation, the quantity $\frac{3\pi}{Gd}$ represents:

1. $\sqrt{T}$
2. T
3. T^2
4. T^3

- 42** 10 resistors, each of resistance R are connected in series to a battery of E and negligible internal resistance. Then those are connected in parallel to the same battery, the current is increased n times. The value of n is:

1. 1000
2. 10
3. 100
4. 1

- 43** A horizontal bridge is built across a river. A student standing on the bridge throws a small ball vertically upwards with a velocity 4 ms^{-1} . The ball strikes the water surface after 4 s. The height of bridge above water surface is: (Take $g = 10 \text{ ms}^{-2}$)

1.	68 m	2.	56 m
3.	60 m	4.	64 m

- 44** Two thin lenses are of the same focal lengths (f), but one is convex and the other one is concave. When they are placed in contact with each other, the equivalent focal length of the combination will be:

1. infinite
2. zero
3. $f/4$
4. $f/2$


- 45** The radius of innermost orbit of a hydrogen atom is $5.3 \times 10^{-11} \text{ m}$. What is the radius of the third allowed orbit of a hydrogen atom?

1. $4.77 \text{ \AA}$
2. $0.53 \text{ \AA}$
3. $1.06 \text{ \AA}$
4. $1.59 \text{ \AA}$

- 46** The resistance of platinum wire at 0°C is 2Ω and 6.8Ω at 80°C . The temperature coefficient of resistance of the wire is:

1. $3 \times 10^{-1} ^\circ\text{C}^{-1}$
2. $3 \times 10^{-4} ^\circ\text{C}^{-1}$
3. $3 \times 10^{-3} ^\circ\text{C}^{-1}$
4. $3 \times 10^{-2} ^\circ\text{C}^{-1}$

- 47** The net impedance of the circuit (as shown in the figure) will be:




1.	25Ω	2.	$10\sqrt{2} \Omega$
3.	15Ω	4.	$5\sqrt{5} \Omega$

- 48** Calculate the maximum acceleration of a moving car so that a body lying on the floor of the car remains stationary. The coefficient of static friction between the body and the floor is 0.15. (take $g = 10 \text{ ms}^{-2}$)


1.	50 ms^{-2}	2.	1.2 ms^{-2}
3.	150 ms^{-2}	4.	1.5 ms^{-2}

49 For the following logic gate, the truth table is:



1.	A	B	C
	0	0	0
	0	1	0
	1	0	0
	1	1	1
2.	A	B	C
	0	0	1
	0	1	1
	1	0	1
	1	1	0
3.	A	B	C
	0	0	0
	0	1	1
	1	0	1
	1	1	1
4.	A	B	C
	0	0	1
	0	1	0
	1	0	1
	1	1	0


50 The displacement-time ($x-t$) graph of a particle performing simple harmonic motion is shown in the figure. The acceleration of the particle at $t = 2$ s is:



1.	$-\frac{\pi^2}{16} \text{ ms}^{-2}$	2.	$\frac{\pi^2}{8} \text{ ms}^{-2}$
3.	$-\frac{\pi^2}{8} \text{ ms}^{-2}$	4.	$\frac{\pi^2}{16} \text{ ms}^{-2}$

CHEMISTRY - SECTION A

51 The mass of CO_2 produced by heating 20 g of 20% pure limestone as per the equation given below is:



1.	1.32 g	2.	1.12 g
3.	1.76 g	4.	2.64 g

52 Some tranquilizers are listed below. Which one from the following belongs to barbiturates?

1.	Veronal	2.	Chlordiazepoxide
3.	Meprobamate	4.	Valium

53 Given below are two statements: one is labeled as Assertion (A) and the other is labeled as Reason (R):

Assertion (A):	Helium is used to dilute oxygen in the diving apparatus.
Reason (R):	Helium has a high solubility in O_2 .

In light of the above statements, choose the correct answer from the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True and (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.

54 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R):

Assertion (A):	Metallic sodium dissolves in liquid ammonia giving a deep blue solution, which is paramagnetic.
Reason (R):	The deep blue solution is due to the formation of amide.

In the light of the above statements choose the correct answer from the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True and (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.

55 The correct order of energies of molecular orbitals of N_2 molecule is:

1.	$\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma 2p_z < \sigma^* 2p_z$
2.	$\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < (\pi 2p_x = \pi 2p_y) < \sigma 2p_z < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
3.	$\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$
4.	$\sigma 1s < \sigma^* 1s < \sigma 2s < \sigma^* 2s < \sigma 2p_z < (\pi 2p_x = \pi 2p_y) < (\pi^* 2p_x = \pi^* 2p_y) < \sigma^* 2p_z$

56 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R):

Assertion (A):	A reaction can have zero activation energy.
Reason (R):	The minimum extra amount of energy absorbed by reactant molecules so that their energy becomes equal to threshold value, is called activation energy.


In the light of the above statements choose the correct answer from the options given below:

1.	Both (A) and (R) are True and (R) is the correct explanation of (A).
2.	Both (A) and (R) are True but (R) is not the correct explanation of (A).
3.	(A) is True but (R) is False.
4.	(A) is False but (R) is True.

57 Weight (g) of two moles of the organic compound, which is obtained by heating sodium ethanoate with sodium hydroxide in the presence of calcium oxide is:

- 18
- 16
- 32
- 30

58 Given is a reaction for your reference:



The final product [C] is:

1.		2.	
3.		4.	

59 Select the correct statements from the following:

A:	Atoms of all elements are composed of two fundamental particles.
B:	The mass of the electron is 9.10939×10^{-31} kg.
C:	All the isotopes of a given element show same chemical properties.
D:	Protons and electrons are collectively known as nucleons.
E:	Dalton's atomic theory regarded the atom as an ultimate particle of matter.

Choose the correct answer from the option given below:

1.	B, C and E only	2.	A, B and C only
3.	C, D and E only	4.	A and E only

60 The stability of Cu^{2+} is greater than that of Cu^+ salts in an aqueous solution due to:

1. Second ionisation enthalpy
2. First ionisation enthalpy
3. Enthalpy of atomization
4. Hydration energy

61 The relation between n_m (n_m = number of permissible values of magnetic quantum number (m_l) for a given value of azimuthal quantum number (l) is:

1. $n_m = l + 2$
2. $l = \frac{n_m - 1}{2}$
3. $l = 2n_m + 1$
4. $n_m = 2l^2 + 1$

62 Intermolecular forces are forces of attraction and repulsion between interacting particles that will be:

A.	dipole - dipole forces
B.	dipole-induced dipole forces
C.	hydrogen bonding
D.	covalent bonding
E.	dispersion forces

Choose the most appropriate answer from the options given below:

1. A, C, D, E are correct
2. B, C, D, E are correct
3. A, B, C, D, E are correct
4. A, B, C, E are correct

63 Homoleptic complex from the following complexes is:

1. Triamminetriaquachromium (III)
2. Potassium trioxalatoaluminate (III)
3. Diamminechloridonitrito-N-platinum (II)
4. Pentaamminecarbonatocobalt (III) chloride

64 Among the given reactions, which one does not result in the formation of a primary amine as the product?

1.	$\text{CH}_3\text{CONH}_2 \xrightarrow[\text{(ii) H}_3\text{O}^+]{\text{(i) LiAlH}_4} \text{Product}$
2.	$\text{CH}_3\text{CONH}_2 \xrightarrow{\text{Br}_2/\text{KOH}} \text{Product}$
3.	$\text{CH}_3\text{CN} \xrightarrow[\text{(ii) H}_3\text{O}^+]{\text{(i) LiAlH}_4} \text{Product}$
4.	$\text{CH}_3\text{NC} \xrightarrow[\text{(ii) H}_3\text{O}^+]{\text{(i) LiAlH}_4} \text{Product}$


65 Which one of the following statements is correct?

1.	Mg plays role in neuromuscular function and interneuronal transmission.
2.	The daily requirement of Mg and Ca in the human body is estimated to be 0.2-0.3 g.
3.	All enzymes that utilize ATP in phosphate transfer require Ca as the cofactor.
4.	The bone in the human body is an inert and unchanging substance.

66 Amongst the given option which of the following molecules/ion acts as a Lewis acid?

1. OH^-
2. NH_3
3. H_2O
4. BF_3

67 Which amongst the following options is correct graphical representation of Boyle's Law?



68 Match the allotropes of carbon given in List I with the respective characteristics given in List II.

List-I		List-II
A. Coke	I.	Carbon atoms are sp^3 hybridised.
B. Diamond	II.	Used as a dry lubricant
C. Fullerene	III.	Used as a reducing agent
D. Graphite	IV.	Cage like molecules

Choose the correct answer from the options given below:

Options:	(A)	(B)	(C)	(D)
1.	III	IV	I	II
2.	II	IV	I	III
3.	IV	I	II	III
4.	III	I	IV	II

69 The element expected to form the largest ion to achieve the nearest noble gas configuration is:

1.	Sodium(Na)	2.	Oxygen(O)
3.	Fluorine(F)	4.	Nitrogen(N)

70 Given below are two statements:

Statement I:	A unit formed by the attachment of a base to 1' position of sugar is known as a nucleoside.
Statement II:	When nucleoside is linked to phosphorous acid at 5' position of sugar moiety, we get nucleotide.


In the light of the above statements choose the correct answer from the options given below:

1.	Statement I is false but Statement II is true.
2.	Both Statement I and Statement II are true.
3.	Both Statement I and Statement II are false.
4.	Statement I is true but Statement II is false.

71 Which one is an example of heterogeneous catalysis?

1.	Combination between dinitrogen and dihydrogen to form ammonia in the presence of finely divided iron.
2.	Oxidation of sulphur dioxide into sulphur trioxide in the presence of oxides of nitrogen.
3.	Hydrolysis of sugar catalysed by H^+ ions.
4.	Decomposition of ozone in presence of nitrogen monoxide.

72 The following compound would be classified as:



1.	Vinyl halide	2.	Benzylic halide
3.	Aryl halide	4.	Allylic halide

73 In Lassaigne's extract of an organic compound, both nitrogen and sulphur are present, which gives blood red colour with Fe^{3+} due to the formation of:

- $[Fe(SCN)]^{2+}$
- $Fe_4[Fe(CN)_6]_3 \cdot xH_2O$
- $NaSCN$
- $[Fe(CN)_5NOS]^{4-}$

74 Which amongst the following molecules on polymerization produces neoprene?

1.	$H_2C = \overset{\overset{CH_3}{ }}{C} - \overset{\overset{H}{ }}{C} = CH_2$	2.	$H_2C = \overset{\overset{H}{ }}{C} - \overset{\overset{H}{ }}{C} = CH_2$
3.	$H_2C = \overset{\overset{Cl}{ }}{C} - \overset{\overset{H}{ }}{C} = CH_2$	4.	$H_2C = \overset{\overset{H}{ }}{C} - C \equiv CH$

75 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R):

Assertion (A):	In equation $\Delta_r G = -nFE_{cell}$, value $\Delta_r G$ depends on n.
Reason (R):	E_{cell} is an intensive property and $\Delta_r G$ is an extensive property.

In the light of the above statements choose the correct answer from the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True and (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.

76 A compound is formed by two elements A and B. The element B forms cubic close-packed structure and atoms of A occupy $1/3$ of tetrahedral voids. If the formula of the compound is A_xB_y then the value of x+y is in option

- 2
- 5
- 4
- 3

77 Given the following five species:



The total number of these species that do not have eight electrons around the central atom in its/their outermost shell, is/are:

1.	1	2.	3
3.	2	4.	4


78 Which of the following statements is NOT correct?

A.	Hydrogen is used to reduce heavy metal oxides to metals.
B.	Heavy water is used to study the reaction mechanism.
C.	Hydrogen is used to make saturated fats from oils.
D.	The H-H bond dissociation enthalpy is lowest as compared to a single bond between two atoms of any element.
E.	Hydrogen reduces oxides of metals that are more active than iron.

Choose the most appropriate answer from the options given below:

1.	A, B, C only	2.	B, C, D, E only
3.	B, D only	4.	D, E only

79 Identify the product in the following reaction:



1.		2.	
3.		4.	

80 The conductivity of centimolar solution of KCl at 25°C is $0.0210 \text{ ohm}^{-1} \text{ cm}^{-1}$ and the resistance of the cell containing the solution at 25°C is 60 ohm. The value of the cell constant is:

1.	3.34 cm^{-1}	2.	1.34 cm^{-1}
3.	3.28 cm^{-1}	4.	1.26 cm^{-1}


81 The number of σ bonds, π bonds and lone pair of electrons in pyridine respectively are:

- 12, 2, 1
- 11, 2, 0
- 12, 3, 0
- 11, 3, 1

82 Identify the correct relationship of stability from the options provided.

1. $\text{TlI} > \text{TlI}_3$
2. $\text{TlCl}_3 > \text{TlCl}$
3. $\text{InI}_3 > \text{InI}$
4. $\text{AlCl} > \text{AlCl}_3$

83 Identify the product (A) in the following reaction:




1.	
2.	
3.	
4.	

84 For a certain reaction, the rate = $k[A]^2[B]$, when the initial concentration of A is tripled keeping the concentration of B constant, the initial rate would be:

1.	Increase by a factor of three
2.	Decrease by a factor of nine
3.	Increase by a factor of six
4.	Increase by a factor of nine

- 85** Consider the following reaction and identify the product (P).



3-Methylbutan-2-ol

1.	$\begin{array}{c} \text{H}_3\text{C} \\ \\ \text{H}_3\text{C}-\text{C}-\text{CH}_2-\text{Br} \\ \\ \text{CH}_3 \end{array}$	2.	$\begin{array}{c} \text{Br} \quad \text{H}_2 \\ \quad \\ \text{H}_3\text{C}-\text{C}-\text{C}-\text{CH}_3 \\ \\ \text{CH}_3 \end{array}$
3.	$\text{H}_3\text{CHC}=\text{CHCH}_3$	4.	$\begin{array}{c} \text{Br} \\ \\ \text{H}_3\text{C}-\text{C}-\text{C}-\text{CH}_3 \\ \quad \\ \text{H} \quad \text{H} \\ \\ \text{CH}_3 \end{array}$

CHEMISTRY - SECTION B


- 86** What is the correct relationship between changes in enthalpy and internal energy within the following options?

- $\Delta H + \Delta U = \Delta nR$
- $\Delta H = \Delta U - \Delta n_g RT$
- $\Delta H = \Delta U + \Delta n_g RT$
- $\Delta H - \Delta U = -\Delta n_g RT$

- 87** The equilibrium concentration of the species in the reaction $A + B \rightleftharpoons C + D$ are 2, 3, 10 and 6 mol L⁻¹, respectively at 300 K. ΔG° for the reaction is: (R = 2 cal/mol K)

1.	-13.73 cal	2.	1372.60 cal
3.	-137.26 cal	4.	-1381.80 cal

- 88** Identify the major product obtained in the following reaction:




1.		2.	
3.		4.	

- 89** Pumice stone is an example of-

1.	foam	2.	sol
3.	gel	4.	solid sol

- 90** For the given redox reaction,



the coefficients a, b and c of a balanced equation are found to be, respectively:

- 8, 1, 3
- 1, 3, 8
- 3, 8, 1
- 1, 8, 3

- 91** What fraction of one edge centred octahedral void lies in one unit cell of fcc?

1.	$\frac{1}{12}$	2.	$\frac{1}{2}$
3.	$\frac{1}{3}$	4.	$\frac{1}{4}$

92 Given below are two statements:

Statement I:	The nutrient deficient water bodies lead to eutrophication.
Statement II:	Eutrophication leads to decrease in the level of oxygen in the water bodies.

In the light of the above statements choose the correct answer from the options given below:

1. **Statement I** is incorrect but **Statement II** is correct.
2. Both **Statement I** and **Statement II** are correct.
3. Both **Statement I** and **Statement II** are incorrect.
4. **Statement I** is correct but **Statement II** is incorrect.

93 Which amongst the following will be most readily dehydrated under acidic conditions?

1.	2.
3.	4.



94 Match the Oxoacids of Sulphur given in List I with the number of bonds given in List II and mark the correct option.

	List-I (Oxoacids of Sulphur)		List-II (Bonds)
A.	Peroxodisulphuric acid	I.	Two S-OH, Four S=O, One S-O-S
B.	Sulphuric acid	II.	Two S-OH, One S=O
C.	Pyrosulphuric acid	III.	Two S-OH, Four S=O, One S-O-O-S
D.	Sulphurous acid	IV.	Two S-OH, Two S=O

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	III	IV	II	I
2.	I	III	II	IV
3.	III	IV	I	II
4.	I	III	IV	II

95 Identify the final product [D] obtained in the following sequence of reactions:




1. $\text{HC} \equiv \text{C}^- \text{Na}^+$	2.
3.	4. C_4H_{10}

96 The most stable compound, among the following, is:

1. $[\text{Co}(\text{NH}_3)_6]_2(\text{SO}_4)_3$
2. $[\text{Co}(\text{NH}_3)_4(\text{H}_2\text{O})\text{Br}](\text{NO}_3)_2$
3. $[\text{Co}(\text{NH}_3)_3(\text{NO}_3)_3]$
4. $[\text{CoCl}_2(\text{en})_2]\text{NO}_3$

97 Consider the following reaction:



Identify products A and B.

1.	A =	and B =
2.	A =	and B =
3.	A =	and B =
4.	A =	and B =





98 Which of the following statements is incorrect?

A.	All the transition metals except scandium form MO oxides which are ionic.
B.	The highest oxidation number corresponds to the group number in transition metal oxides is attained in Sc_2O_3 to Mn_2O_7 .
C.	Basic character increases from V_2O_3 to V_2O_4 to V_2O_5 .
D.	V_2O_4 dissolves in acids to give VO_4^{3-} .
E.	CrO is basic, but Cr_2O_3 is amphoteric.

Choose the correct answer from the options given below:

1.	B and C only	2.	A and E only
3.	B and D only	4.	C and D only

99 Consider the following compounds/species:

i.		ii.	
iii.		iv.	
v.		vi.	
vii.			

The number of compounds/species which obey Huckel's rule is:

1.	5	2.	4
3.	6	4.	2

100 The reaction that does not take place in a blast furnace between 900 K to 1500 K temperature range during the extraction of iron is:

- $\text{CaO} + \text{SiO}_2 \rightarrow \text{CaSiO}_3$
- $\text{Fe}_2\text{O}_3 + \text{CO} \rightarrow 2\text{FeO} + \text{CO}_2$
- $\text{FeO} + \text{CO} \rightarrow \text{Fe} + \text{CO}_2$
- $\text{C} + \text{CO}_2 \rightarrow 2\text{CO}$

BIOLOGY - I - SECTION A

101 Which micronutrient is required for splitting of water molecule during photosynthesis?

1.	Copper	2.	Manganese
3.	Molybdenum	4.	Magnesium

102 Unequivocal proof that DNA is the genetic material was first proposed by:

- Wilkins and Franklin
- Frederick Griffith
- Alfred Hershey and Martha Chase
- Avery, Macleod and McCarthy

103 Give below are two statements :

Statement I:	Endarch and exarch are the terms often used for describing the position of secondary xylem in the plant body.
Statement II:	Exarch condition is the most common feature of the root system.

In the light of the above statements, choose the correct answer from the options given below:

- Statement I** is incorrect but **Statement II** is correct.
- Both **Statement I** and **Statement II** are correct.
- Both **Statement I** and **Statement II** are incorrect.
- Statement I** is correct but **Statement II** is incorrect.

104 Cellulose does not form blue colour with iodine because

1.	It breaks down when iodine reacts with it.
2.	It is a disaccharide.
3.	It is a helical molecule.
4.	It does not contain complex helices and hence cannot hold iodine molecules.

105 Family Fabaceae differs from Solanaceae and Liliaceae.

With respect to the stamens, pick out the characteristics specific to family Fabaceae but not found in Solanaceae or Liliaceae.

1.	Epiphyllous and Ditheous anthers
2.	Diadelphous and Ditheous anthers
3.	Polyadelphous and epipetalous stamens
4.	Monadelphous and Monotheous anthers

106 The reaction centre in PS II has an absorption maxima at:

1.	780 nm	2.	680 nm
3.	700 nm	4.	660 nm

107 Upon exposure to UV radiation, DNA stained with ethidium bromide will show:

1. Bright orange colour
2. Bright red colour
3. Bright Blue colour
4. Bright yellow colour

108 The phenomenon of pleiotropism refers to:

1.	more than two genes affecting a single character.
2.	presence of several alleles of a single gene controlling a single crossover.
3.	presence of two alleles, each of the two genes controlling a single trait.
4.	a single gene affecting multiple phenotypic expressions.

109 The historic Convention on Biological Diversity, 'The Earth Summit' was held in Rio de Janeiro in the year :

1.	2002	2.	1985
3.	1992	4.	1986

110 During the purification process for recombinant DNA technology, addition of chilled ethanol precipitates out:

1.	Polysaccharides	2.	RNA
3.	DNA	4.	Histones

111 Frequency of recombination between gene pairs on same chromosome as a measure of the distance between genes to map their position on chromosome, was used for the first time by:

1.	Henking	2.	Thomas Hunt Morgan
3.	Sutton and Boveri	4.	Alfred Sturtevant

112 Give below are two statements : One is labelled as Assertion (A) and the other is labelled Reason (R) :

Assertion (A):	The first stage of gametophyte in the life cycle of moss is protonema stage.
Reason (R):	Protonema develops directly from spores produced in capsule.

In the light of the above statements, choose the most appropriate answer from the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True but (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.

113 Among eukaryotes, replication of DNA takes place in:

1. G₂ Phase
2. M phase
3. S phase
4. G₁ phase

114 What is the function of tassels in the corn cob?

1.	To protect seeds	2.	To attract insects
3.	To trap pollen grains	4.	To disperse pollen grains

115 In the equation

$$GPP - R = NPP$$

GPP is Gross Primary Productivity. NPP is net Primary Productivity. R here is _____

1. Reproductive allocation
2. Photosynthetically active radiation
3. Respiratory quotient
4. Respiratory loss

116 Which hormone promotes internode / petiole elongation in deep water rice?

1.	2, 4-D	2.	GA ₃
3.	Kinetin	4.	Ethylene

117 Axile placentation is observed in:

1. China rose, Petunia and Lemon
2. Mustard, Cucumber and Primrose
3. China rose, Beans and Lupin
4. Tomato, Dianthus and Pea

118 The process of appearance of recombination nodules occurs at which sub stage of prophase I in meiosis?

1.	Diakinesis	2.	Zygotene
3.	Pachytene	4.	Diplotene

119 The thickness of ozone in a column of air in the atmosphere is measured in terms of :

1.	Kilobase	2.	Dobson unit
3.	Decibels	4.	Decameter

120 Given below are two statements:

Statement I:	The forces generated by transpiration can lift a xylem-sized column of water over 130 meters height.
Statement II:	Transpiration cools leaf surfaces sometimes 10 to 15 degrees, by evaporative cooling.

In light of the above statements, choose the most appropriate answer from the options given below :

1. **Statement I** is incorrect but **Statement II** is correct
2. Both **Statement I** and **Statement II** are correct.
3. Both **Statement I** and **Statement II** are incorrect.
4. **Statement I** is correct but **Statement II** is incorrect.

121 Which of the following stages of meiosis involves division of centromere?

1. Telophase	2. Metaphase I
3. Metaphase II	4. Anaphase II

122 Identify the correct statements:

A:	Detritivores perform fragmentation.
B:	The humus is further degraded by some microbes during mineralization.
C:	Water soluble inorganic nutrients go down into the soil and get precipitated by a process called leaching.
D:	The detritus food chain begins with living organisms.
E:	Earthworms break down detritus into smaller particles by a process called catabolism.

Choose the correct answer from the options given below:

1. D, E, A only	2. A, B, C only
3. B, C, D only	4. C, D, E only

123 In angiosperm, the haploid, diploid and triploid structures of a fertilized embryo sac sequentially are :

1. Synergids, antipodals and Polar nuclei
2. Synergids, Primary endosperm nucleus and zygote
3. Antipodals, synergids, and primary endosperm nucleus
4. Synergids, Zygote and Primary endosperm nucleus

124 Among 'The Evil Quartet', which one is considered the most important cause driving extinction of species?

1. Co-extinctions
2. Habitat loss and fragmentation
3. Over exploitation for economic gain
4. Alien species invasions

125 In tissue culture experiments, leaf mesophyll cells are put in a culture medium to form callus. This phenomenon may be called as

1. Senescence	2. Differentiation
3. Dedifferentiation	4. Development

126 In gene gun method used to introduce alien DNA into host cells, microparticles of _____ metal are used.

1. Silver	2. Copper
3. Zinc	4. Tungsten or gold

127 Large, colorful, fragrant flowers with nectar are seen in:

1. wind pollinated plants	2. insect pollinated plants
3. bird pollinated plants	4. bat pollinated plants

128 Expressed Sequence Tags (ESTs) refers to:

1. Certain important expressed genes.
2. All genes that are expressed as RNA.
3. All genes that are expressed as proteins.
4. All genes whether expressed or unexpressed

129 Movement and accumulation of ions across a membrane against their concentration gradient can be explained by:

1. Active Transport	2. Osmosis
3. Facilitated Diffusion	4. Passive Transport

130 Given below are two statements : One is labelled as Assertion (A) and the other is labelled as Reason (R):

Assertion (A):	ATP is used at two steps in glycolysis .
Reason (R):	First ATP is used in converting glucose into glucose-6-phosphate and second ATP is used in conversion of fructose-6-phosphate into fructose-1-6-diphosphate.

In the light of the above statements, choose the correct answer from the options given below :

1. (A) is False but (R) is True.
2. Both (A) and (R) are True and (R) is the correct explanation of (A) .
3. Both (A) and (R) are True but (R) is not the correct explanation of (A) .
4. (A) is True but (R) is False.

131 Spraying of which of the following phytohormone on juvenile conifers helps in hastening the maturity period, that leads to early seed production?

1. Absciscic Acid
2. Indole-3-butyric Acid
3. Gibberellic Acid
4. Zeatin

132 Identify the pair of heterosporous pteridophytes among the following :

1. *Equisetum* and *Salvinia*
2. *Lycopodium* and *Selaginella*
3. *Selaginella* and *Salvinia*
4. *Psilotum* and *Salvinia*

133 Give below are two statements : One is labelled as Assertion (A) and The other is labelled as Reason (R) :

Assertion (A):	Late wood has fewer xylary elements with narrow vessels.
Reason (R):	Cambium is less active in winters.

In the light of the above statements, choose the correct answer from the option given below :

1. (A) is False but (R) is True.
2. Both (A) and (R) are True and (R) is the correct explanation of (A).
3. Both (A) and (R) are True but (R) is not the correct explanation of (A).
4. (A) is True but (R) is False

134 What is the role of RNA polymerase III in the process of transcription in Eukaryotes?

1. Transcription of only snRNAs
2. Transcription of rRNAs (28S, 18S and 5.8S)
3. Transcription of tRNA, 5 srRNA and snRNA
4. Transcription of precursor of mRNA

135 How many ATP and NADPH₂ are required for the synthesis of one molecule of glucose during Calvin cycle?

1. 18 ATP and 16 NADPH₂
2. 12 ATP and 12 NADPH₂
3. 18 ATP and 12 NADPH₂
4. 12 ATP and 16 NADPH₂

BIOLOGY - I - SECTION B

136 Match List I with List II:

	List I		List II
A.	Iron	I.	Synthesis of auxin
B.	Zinc	II.	Component of nitrate reductase
C.	Boron	III.	Activator of catalase
D.	Molybdenum	IV.	Cell elongation and differentiation

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	IV	I	III
2.	III	II	I	IV
3.	II	III	IV	I
4.	III	I	IV	II

137 How many different proteins does the ribosome consist of?

1.	20	2.	80
3.	60	4.	40

138 Match List I with List II

	List I		List II
A.	Oxidative decarboxylation	I.	Citrate synthase
B.	Glycolysis	II.	Pyruvate dehydrogenase
C.	Oxidative phosphorylation	III.	Electron transport system
D.	Tricarboxylic acid cycle	IV.	EMP pathway

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	IV	III	I
2.	III	IV	II	I
3.	II	IV	I	III
4.	III	I	II	IV

139 Match List I with List II

	List I (Interaction)		List II (Species A and B)
A.	Mutualism	I.	+(A), O(B)
B.	Commensalism	II.	-(A), O(B)
C.	Amensalism	III.	+(A), -(B)
D.	Parasitism	IV.	+(A), +(B)

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	III	I	IV	II
2.	IV	II	I	II
3.	IV	I	II	III
4.	IV	III	I	II

140 Given below are two statements:

Statement I:	Gause's 'Competitive Exclusion Principle' states that two closely related species competing for the same resources cannot co-exist indefinitely and competitively inferior one will be eliminated eventually.
Statement II:	In general, carnivores are more adversely affected by competition than herbivores.

In the light of the above statements, choose the correct answer from the options given below:

1. **Statement I** is incorrect but **Statement II** is correct.
2. Both **Statement I** and **Statement II** are correct.
3. Both **Statement I** and **Statement II** are incorrect.
4. **Statement I** is correct but **Statement II** is incorrect.

141 Identify the correct statements:

A:	Lenticels are the lens-shaped openings permitting the exchange of gases.
B:	Bark formed early in the season is called hard bark.
C:	Bark is a technical term that refers to all tissues exterior to vascular cambium.
D:	Bark refers to periderm and secondary phloem.
E:	Phellogen is single-layered in thickness.

Choose the correct answer from the options given below:

1.	B and C only	2.	B , C and E only
3.	A and D only	4.	A , B and D only

142 Main steps in the formation of Recombinant DNA are given below. Arrange these steps in a correct sequence.

A.	Insertion of recombinant DNA into the host cell.
B.	Cutting of DNA at specific location by restriction enzyme.
C.	Isolation of desired DNA fragment.
D.	Amplification of gene of interest using PCR.

Choose the correct answer from the options given below:

1.	B , D , A , C	2.	B , C , D , A
3.	C , A , B , D	4.	C , B , D , A

143 Given below are two statements: One is labelled as Assertion (A) and the other is labelled as Reason (R):

Assertion (A):	In gymnosperms, the pollen grains are released from the microsporangium and carried by air currents.
Reason (R):	Air currents carry the pollen grains to the mouth of the archegonia where the male gametes are discharged and pollen tube is not formed.

In the light of the above statements, choose the correct answer from the options given below:

1.	(A) is False, (R) is True.
2.	Both (A) and (R) are True and (R) correctly explains (A).
3.	Both (A) and (R) are True and (R) does not correctly explain (A).
4.	(A) is True, (R) is False.

144 Which one of the following statements is not correct?

1.	The amount of some toxic substances of industrial wastewater increases in the organisms at successive trophic levels.
2.	The micro-organisms involved in biodegradation of organic matter in a sewage-polluted water body consume aquatic organisms.
3.	Algal blooms caused by excess of organic matter in water improve water quality and promote fisheries.
4.	Water hyacinth grows abundantly in eutrophic water bodies and lead to an imbalance in the ecosystem dynamics of the water body.

145 Which of the following statements are correct about Klinefelter's Syndrome?

A.	This disorder was first described by Langdon Down (1866).
B.	Such an individual has overall masculine development. However, the feminine development is also expressed.
C.	The affected individual is short statured.
D.	Physical, psychomotor and mental development is retarded.
E.	Such individuals are sterile.

Choose the correct answer from the options given below:

1.	A and E only	2.	A and B only
3.	C and D only	4.	B and E only

146 Given below are two statements. One is labelled as Assertion (A) and the other is labelled as Reason (R):

Assertion (A):	A flower is defined as a modified shoot wherein the shoot apical meristem changes to floral meristem.
Reason (R):	Internode of the shoot gets condensed to produce different floral appendages laterally at successive nodes instead of leaves.

In the light of the above statements, choose the correct answer from the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True but (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.

147 Match List I with List II:

List I	List II
A. M Phase	I. Proteins are synthesized
B. G ₂ Phase	II. Inactive phase
C. Quiescent stage	III. Interval between mitosis and initiation of DNA replication
D. G ₁ Phase	IV. Equational division

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	IV	I	III
2.	III	II	IV	I
3.	IV	II	I	III
4.	IV	I	II	III

148 Malonate inhibits the growth of pathogenic bacteria by inhibiting the activity of:

1. Dinitrogenase
2. Succinic dehydrogenase
3. Amylase
4. Lipase

149 Which of the following combinations is required for chemiosmosis?

1.	Proton pump, electron gradient, NADP synthase.
2.	Membrane, proton pump, proton gradient, ATP synthase.
3.	Membrane, proton pump, proton gradient, NADP synthase
4.	Proton pump, electron gradient, ATP synthase

150 Match List I with List II:

List I	List II
A. Cohesion	I. More attraction in liquid phase
B. Adhesion	II. Mutual attraction among water molecules
C. Surface tension	III. Water loss in liquid phase
D. Guttation	IV. Attraction towards polar surfaces

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	I	IV	III
2.	II	IV	I	III
3.	IV	III	II	I
4.	III	I	IV	II

BIOLOGY - II - SECTION A

151 Broad palm with single palm crease is visible in a person suffering from-

1.	Thalassemia	2.	Down's syndrome
3.	Turner's syndrome	4.	Klinefelter's syndrome

152 Given below are two statements:

Statement I:	Low temperature preserves the enzyme in a temporarily inactive state whereas high temperature destroys enzymatic activity because proteins are denatured by heat.
Statement II:	When the inhibitor closely resembles the substrate in its molecular structure and inhibits the activity of the enzyme, it is known as competitive inhibitor.

In the light of the above statements, choose the correct answer from the options given below:

1. **Statement I** is false but **Statement II** is true.
2. Both **Statement I** and **Statement II** are true.
3. Both **Statement I** and **Statement II** are false.
4. **Statement I** is true but **Statement II** is false.

153 Which one of the following common sexually transmitted diseases is completely curable when detected early and treated properly?

1. HIV Infection
2. Genital herpes
3. Gonorrhoea
4. Hepatitis-B

154 Given below are two statements:

I:	Electrostatic precipitator is most widely used in a thermal power plant.
II:	Electrostatic precipitator in a thermal power plant removes ionising radiations.

1. **Statement I** is incorrect but **Statement II** is correct.
2. Both **Statement I** and **Statement II** are correct.
3. Both **Statement I** and **Statement II** are incorrect.
4. **Statement I** is correct but **Statement II** is incorrect.

155 Given below are two statements:

Statement I:	Vas deferens receives a duct from seminal vesicle and opens into urethra as the ejaculatory duct.
Statement II:	The cavity of the cervix is called cervical canal which along with vagina forms birth canal.

In light of the above statements, choose the correct answer from the options given below:

1. **Statement I** is incorrect but **Statement II** is correct.
2. Both **Statement I** and **Statement II** are correct.
3. Both **Statement I** and **Statement II** are incorrect.
4. **Statement I** is correct but **Statement II** is incorrect.

156 Which one of the following symbols represents mating between relatives in human pedigree analysis?

1.		2.	
3.		4.	

157 Match List I with List II.

	List I		List II
A.	<i>Taenia</i>	I.	Nephridia
B.	<i>Paramoecium</i>	II.	Contractile vacuole
C.	<i>Periplaneta</i>	III.	Flame cells
D.	<i>Pheretima</i>	IV.	Ureose gland

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	I	IV	III
2.	I	II	III	IV
3.	I	II	IV	III
4.	III	II	IV	I

158 Given below are two statements:

Statement I:	In prokaryotes, the positively charged DNA is held with some negatively charged proteins in a region called nucleoid.
Statement II:	In eukaryotes, the negatively charged DNA is wrapped around the positively charged histone octamer to form nucleosome.

In the light of the above statements, choose the correct answer from the options given below:

1. **Statement I** is incorrect but **Statement II** is correct.
2. Both **Statement I** and **Statement II** are correct.
3. Both **Statement I** and **Statement II** are incorrect.
4. **Statement I** is correct but **Statement II** is incorrect.

159 Which of the following functions is carried out by the cytoskeleton in a cell?

1.	Transportation	2.	Nuclear division
3.	Protein synthesis	4.	Motility

160 Given below are two statements:

Statement I:	Ligaments are dense irregular tissue.
Statement II:	Cartilage is dense regular tissue.

In the light of the above statements, choose the correct answer from the options given below:

1. **Statement I** is false but **Statement II** is true.
2. Both **Statement I** and **Statement II** are true.
3. Both **Statement I** and **Statement II** are false.
4. **Statement I** is true but **Statement II** is false.

161 Which of the following are not considered as part of endomembrane system?

- A. Mitochondria
- B. Endoplasmic Reticulum
- C. Chloroplasts
- D. Golgi complex
- E. Peroxisomes

Choose the most appropriate answer from the options given below:

1.	A, D and E only	2.	B and D only
3.	A, C and E only	4.	A and D only

162 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):	Amniocentesis for sex determination is one of the strategies of Reproductive and Child Health Care Programme.
Reason (R):	Ban on amniocentesis checks increasing menace of female foeticide.

In the light of the above statements, choose the correct answer from the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True but (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.

163 Given below are statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):	Nephrons are of two types: Cortical & Juxta medullary, based on their relative position in cortex and medulla.
Reason (R):	Juxta medullary nephrons have short-loop of Henle whereas, cortical nephrons have longer loop of Henle.

In the light of the above statements, choose the correct answer from the options given below:

1.	(A) is False, (R) is True.
2.	Both (A) and (R) are True and (R) correctly explains (A).
3.	Both (A) and (R) are True but (R) does not correctly explain (A).
4.	(A) is True, (R) is False.

164 Match List I with List II

	List I (Type of Joint)		List II (Found between)
A.	Cartilaginous Joint	I.	Between flat skull bones
B.	Ball and Socket Joint	II.	Between adjacent vertebrae in vertebral column
C.	Fibrous Joint	III.	Between carpal and metacarpal of thumb
D.	Saddle Joint	IV.	Between Humerus and Pectoral girdle

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	IV	III	I
2.	III	I	II	IV
3.	II	IV	I	III
4.	I	IV	III	II

165 Vital capacity of lung is

1. IRV + ERV + TV
2. IRV + ERV
3. IRV + ERV + TV + RV
4. IRV + ERV + TV - RV

166 Match List I with List II

	List I		List II
A.	Ringworm	I.	<i>Haemophilus influenza</i>
B.	Filariasis	II.	<i>Trichophyton</i>
C.	Malaria	III.	<i>Wuchereria bancrofti</i>
D.	Pneumonia	IV.	<i>Plasmodium vivax</i>

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	III	II	IV	I
2.	II	III	IV	I
3.	II	III	I	IV
4.	III	II	I	IV

167 In which blood corpuscles, the HIV undergoes replication and produces progeny viruses?

1.	Eosinophils	2.	T _H cells
3.	B-lymphocytes	4.	Basophils

168 Match List I with List II

	List I		List II
A.	Gene 'a'	I.	β -galactosidase
B.	Gene 'y'	II.	Transacetylase
C.	Gene 'i'	III.	Permease
D.	Gene 'z'	IV.	Repressor protein

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	III	I	IV	II
2.	II	I	IV	III
3.	II	III	IV	I
4.	III	IV	I	II

169 Match List I with List II with respect to human eye.

	List I		List II
A.	Fovea	I.	Visible coloured portion of eye that regulates diameter of pupil.
B.	Iris	II.	External layer of eye formed of dense connective tissue.
C.	Blind spot	III.	Point of greatest visual acuity or resolution.
D.	Sclera	IV.	Point where optic nerve leaves the eyeball and photoreceptor cells are absent.

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	I	III	IV
2.	III	I	IV	II
3.	IV	III	II	I
4.	I	IV	III	II

170 Select the correct group/set of Australian Marsupials exhibiting adaptive radiation.

1.	Lemur, Anteater, Wolf
2.	Tasmanian wolf, Bobcat, Marsupial mole
3.	Numbat, Spotted cuscus, Flying phalanger
4.	Mole, Flying squirrel, Tasmanian tiger cat

171 Which of the following statements are correct regarding female reproductive cycle?

A.	In non-primate mammals, cyclical changes during reproduction are called oestrus cycle.
B.	First menstrual cycle begins at puberty and is called menopause.
C.	Lack of menstruation may be indicative of pregnancy.
D.	Cyclic menstruation extends between menarche and menopause.

Choose the most appropriate answer from the options given below:

1.	A, C and D only	2.	A and D only
3.	A and B only	4.	A, B and C only

172 Given below are two statements: one is labelled as Assertion (A) and the other is labelled as Reason (R).

Assertion (A):	Endometrium is necessary for implantation of blastocyst.
Reason (R):	In the absence of fertilization, the corpus luteum degenerates that causes disintegration of endometrium.

In the light of the above statements, choose the correct answer from, the options given below:

1.	(A) is False but (R) is True.
2.	Both (A) and (R) are True and (R) is the correct explanation of (A).
3.	Both (A) and (R) are True but (R) is not the correct explanation of (A).
4.	(A) is True but (R) is False.

173 Match List I with List II

	List I		List II
A.	Heroin	I.	Effect on cardiovascular system
B.	Marijuana	II.	Slows down body function
C.	Cocaine	III.	Painkiller
D.	Morphine	IV.	Interferes with transport of dopamine

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	III	IV	I	II
2.	II	I	IV	III
3.	I	II	III	IV
4.	IV	III	II	I

174 Which of the following is not a cloning vector?

1.	Probe	2.	BAC
3.	YAC	4.	pBR322

175 Which of the following statements is correct?

1.	Algal Bloom decreases fish mortality.
2.	Eutrophication refers to increase in domestic sewage and waste water in lakes.
3.	Biomagnification refers to increase in concentration of the toxicant at successive trophic levels.
4.	Presence of large amounts of nutrients in water restricts 'Algal Bloom'.

176 Which one of the following techniques does not serve the purpose of early diagnosis of a disease for its early treatment?

1.	Enzyme Linked Immuno-Sorbent Assay (ELISA) technique
2.	Recombinant DNA Technology
3.	Serum and Urine analysis
4.	Polymerase Chain Reaction (PCR) technique

177 Given below are two statements:

Statement I:	RNA mutates at a faster rate.
Statement II:	Viruses having RNA genome and shorter life span mutate and evolve faster.

In the light of the above statements, choose the correct answer from the options given below:

1.	Statement I is false but Statement II is true.
2.	Both Statement I and Statement II are true.
3.	Both Statement I and Statement II are false.
4.	Statement I is true but Statement II is false.

178 Match List I with List II

	List-I		List-II
A.	CCK	I.	Kidney
B.	GIP	II.	Heart
C.	ANF	III.	Gastric gland
D.	ADH	IV.	Pancreas

Choose the correct answer from the options given below:

Options:	(a)	(b)	(c)	(d)
1.	IV	II	III	I
2.	IV	III	II	I
3.	III	II	IV	I
4.	II	IV	I	III

179 Match List I with List II

	List I (Cells)		List II (Secretion)
A.	Peptic cells	I.	Mucus
B.	Goblet cells	II.	Bile juice
C.	Oxyntic cells.	III.	Proenzyme pepsinogen
D.	Hepatic cells	IV.	HCl and intrinsic factor for absorption of vitamin B ₁₂

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	IV	I	III
2.	IV	III	II	I
3.	II	I	III	IV
4.	III	I	IV	II

180 Given below are two statements:

Statement I:	A protein is imagined as a line, the left end represented by first amino acid (C-terminal) and the right end represented by last amino acid (N-terminal).
Statement II:	Adult human haemoglobin, consists of 4 subunits (two subunits of α type and two subunits of β type.)

In the light of the above statements, choose the correct answer from the options given below:

1.	Statement I is false but Statement II is true.
2.	Both Statement I and Statement II are true.
3.	Both Statement I and Statement II are false.
4.	Statement I is true but Statement II is false.

181 Match List I with List II

	List I (Interacting species)		List II (Name of Interaction)
A.	A Leopard and a Lion in a Forest/grassland	I.	Competition
B.	A Cuckoo laying an egg in a Crow's nest	II.	Brood parasitism
C.	Fungi and root of a higher plant mycorrhizae	I.	Mutualism
D.	A cattle egret and a Cattle in a field	IV.	Commensalism

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	III	I	IV
2.	I	II	III	IV
3.	I	II	IV	III
4.	III	IV	I	II

182 Once the undigested and unabsorbed substances enter the caecum, their backflow is prevented by-

1. Pyloric sphincter	2. Sphincter of Oddi
3. Ileo - caecal valve	4. Gastro-oesophageal sphincter

183 Match List I with List II

	List I		List II
A.	P-wave	I.	Beginning of systole
B.	Q-wave	II.	Repolarisation of ventricles
C.	QRS complex	III.	Depolarisation of atria
D.	T-wave	IV.	Depolarisation of ventricles

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	I	II	III	IV
2.	III	I	IV	II
3.	IV	III	II	I
4.	II	IV	I	II

184 Radial symmetry is not found in adults of phylum _____

1. Echinodermata	D	2. Ctenophora
3. Hemichordata		4. Coelenterata

185 Match List I with List II

	List I		List II
A.	Vasectomy	I.	Oral method
B.	Coitus interruptus	II.	Barrier method
C.	Cervical caps	III.	Surgical method
D.	Saheli	IV.	Natural method

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	IV	II	I	III
2.	III	I	IV	II
3.	III	IV	II	I
4.	II	III	I	IV

BIOLOGY - II - SECTION B

186 Which of the following statements are correct?

A:	Basophils are most abundant cells of the total WBCs.
B:	Basophils secrete histamine, serotonin and heparin.
C:	Basophils are involved in inflammatory response.
D:	Basophils have kidney shaped nucleus.
E:	Basophils are agranulocytes.

Choose the correct answer from the options given below:

1. A and B only	2. D and E only
3. C and E only	4. B and C only

187 Select the correct statements.

A.	Tetrad formation is seen during Leptotene.
B.	During Anaphase, the centromeres split and chromatids separate.
C.	Terminalization takes place during Pachytene.
D.	Nucleolus, Golgi complex and ER are reformed during Telophase.
E.	Crossing over takes place between sister chromatids of homologous chromosome.

Choose the correct answer from the options given below:

1. B and E only	2. A and C only
3. B and D only	4. A , C and E only

188 Select the correct statements with reference to chordates.

A:	Presence of a mid-dorsal, solid and double nerve cord.
B:	Presence of closed circulatory system.
C:	Presence of paired pharyngeal gill slits
D:	Presence of dorsal heart.
E:	Triploblastic pseudocoelomate animals.

Choose the correct answer from the options given below:

1. C , D and E only	2. A , C and D only
3. B and C only	4. B , D and E only

189 Which of the following statements are correct regarding skeletal muscle?

A:	Muscle bundles are held together by collagenous connective tissue layer called fascicle.
B:	Sarcoplasmic reticulum of muscle fibre is a store house of calcium ions.
C:	Striated appearance of skeletal muscle fibre is due to distribution pattern of actin and myosin proteins.
D:	M line is considered as functional unit of contraction called sarcomere.

Choose the most appropriate answer from the options given below:

1. C and D only	2. A , B and C only
3. B and C only	4. A , C and D only

190 Given below are two-statements:

Statement I:	During G_0 phase of cell cycle, the cell is metabolically inactive.
Statement II:	The centrosome undergoes duplication during S phase of interphase.

In the light of the above statements, choose the most appropriate answer from the options given below:

1.	Statement I is incorrect but Statement II is correct.
2.	Both Statement I and Statement II are correct.
3.	Both Statement I and Statement II are incorrect.
4.	Statement I is correct but Statement II is incorrect.

191 Which one of the following is not an advantage of inbreeding?

1.	It decreases the productivity of inbred population, after continuous inbreeding.
2.	It decreases homozygosity.
3.	It exposes harmful recessive genes that are eliminated by selection.
4.	Elimination of less desirable genes and accumulation of superior genes takes place due to it.

192 Which of the following statements are correct?

A:	An excessive loss of body fluid from the body switches off osmoreceptors.
B:	ADH facilitates water reabsorption to prevent diuresis.
C:	ANF causes vasodilation.
D:	ADH causes increase in blood pressure.
E:	ADH is responsible for decrease in GFR.

Choose the correct answer from the options given below:

1. C , D and E only	2. A and B only
3. B , C and D only	4. A , B and E only

193 Which of the following are not under the control of thyroid hormone?

A.	Maintenance of water and electrolyte balance.
B.	Regulation of basal metabolic rate.
C.	Normal rhythm of sleep-wake cycle.
D.	Development of immune system.
E.	Support the process of formation of RBCs.

Choose the correct answer from the options given below:

1. D and E only	2. A and D only
3. B and C only	4. C and D only

194 The parts of the human brain that help in the regulation of sexual behavior, expression of excitement, pleasure, rage, fear, etc. are:

1. Corpus callosum and thalamus
2. Limbic system & hypothalamus
3. Corpora quadrigemina & hippocampus
4. Brain stem & epithalamus

195 Match List I with List II.

	List I		List II
A.	Logistic growth	I.	Unlimited resource availability condition
B.	Exponential growth	II.	Limited resource availability condition
C.	Expanding age pyramid	III.	The percent individuals of pre-reproductive age is largest followed by reproductive and post reproductive age groups
D.	Stable age pyramid	IV.	The percent individuals of pre-reproductives and reproductive age group are same

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	II	IV	III	I
2.	II	I	III	IV
3.	II	III	I	IV
4.	II	IV	I	III

196 Which one of the following is the sequence on corresponding coding strand, if the sequence on mRNA formed is as follows

5'AUCGAUCGAUCGAUCGAUCGAUCG 3'?

1.	3' ATCGATCGATCGATCGATCGATCG 5'
2.	5' UAGCUAGCUAGCUAGCUAGCUAGCUAGC 3'
3.	3' UAGCUAGCUAGCUAGCUAGCUAGCUAGC 5'
4.	5' ATCGATCGATCGATCGATCGATCGATCG 3'

197 Which of the following is the characteristic feature of cockroach regarding sexual dimorphism?

1. Presence of anal cerci
2. Dark brown body colour and anal cerci
3. Presence of anal styles
4. Presence of sclerites

198 Match List I with List II.

	List-I		List-II
A.	Mast cells	I.	Ciliated epithelium
B.	Inner surface of bronchiole	II.	Areolar connective tissue
C.	Blood	III.	Cuboidal epithelium
D.	Tubular parts of nephron	IV.	specialised connective tissue

Choose the correct answer from the options given below:

Options:	A	B	C	D
1.	III	IV	II	I
2.	I	II	IV	III
3.	II	III	I	IV
4.	II	I	IV	III

199 The unique mammalian characteristics are:

1. pinna, monocondylic skull and mammary glands
2. hairs, tympanic membrane and mammary glands
3. hairs, pinna and mammary glands
4. hairs, pinna and indirect development

200 In cockroach, excretion is brought about by:

A.	Phallic gland
B.	Urecoase gland
C.	Nephrocytes
D.	Fat body
E.	Collateral glands

Choose the correct answer from the options given below:

1.	B and D only	2.	A and E only
3.	A, B and E only	4.	B, C and D only

